New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Moonwater Berry Twist 30mg

Sample ID: 2606NBL1133.3120
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/25/2026
Completed: 07/13/2026
Expires: 07/13/2027
External Lot ID: MWBT30LOT08
Batch#: MWBT30LOT08

Client
Upstate Beverage Consultants
Lic. # SC000206-20260113
6 Whitlee Court Greenville, SC 29607
(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	06/26/2026	Complete
Residual Solvents	06/26/2026	Complete
Microbials	06/26/2026	Complete
Mycotoxins	07/08/2026	Complete
Pesticides	07/06/2026	Complete
Heavy Metals	06/30/2026	Complete
Foreign Matter	06/25/2026	Not Detected

Cannabinoids

Complete

32.602 mg/unit	0.0089%	ND	32.602 mg/unit
Total Δ9-THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9124	1.369	ND	ND	ND
9R-HHC	0.9124	1.369	ND	ND	ND
(6aR,9S)-d10-THC	0.9124	1.369	ND	ND	ND
9S-HHC	0.9124	1.369	ND	ND	ND
CBC	0.9124	1.369	ND	ND	ND
CBCa	0.9124	1.369	ND	ND	ND
CBD	0.9124	1.369	ND	ND	ND
CBDa	0.9124	1.369	ND	ND	ND
CBDV	0.9124	1.369	ND	ND	ND
CBDVa	0.9124	1.369	ND	ND	ND
CBG	0.9124	1.369	ND	ND	ND
CBGa	0.9124	1.369	ND	ND	ND
CBN	0.9124	1.369	ND	ND	ND
CBNa	0.9124	1.369	ND	ND	ND
Δ8-THC	0.9124	1.369	ND	ND	ND
Δ9-THC	0.9124	1.369	32.602	0.09210	0.009
THCa	0.9124	1.369	ND	ND	ND
THCp	0.9124	1.369	ND	ND	ND
THCV	0.9124	1.369	ND	ND	ND
THCVa	0.9124	1.369	ND	ND	ND
Total THC			**32.602**	**0.09210**	**0.009**
Total CBD			**ND**	**ND**	**ND**
Total			**32.602**	**0.09210**	**0.009**

Date Tested: 06/26/2026
Density: 1 mL = 1.031 g, Unit Mass: 364.974 g, 1 Unit = 12 fl oz
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.

Ashley Phillips
Laboratory Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Moonwater Berry Twist 30mg

Sample ID: 2606NBL1133.3120
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/25/2026
Completed: 07/13/2026
Expires: 07/13/2027
External Lot ID: MWBT30LOT08
Batch#: MWBT30LOT08

Client
Upstate Beverage Consultants
Lic. # SC000206-20260113
6 Whitlee Court Greenville, SC 29607
(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.100	0.029		ND	Tested
Acephate	0.096	0.029		ND	Tested
Acequinocyl	0.096	0.029		ND	Tested
Acetamiprid	0.096	0.029		ND	Tested
Aldicarb	0.096	0.029		ND	Tested
Azoxystrobin	0.096	0.029		ND	Tested
Bifenazate	0.096	0.029		ND	Tested
Bifenthrin	0.096	0.029		ND	Tested
Boscalid	0.096	0.029		ND	Tested
Captan	0.383	0.115		ND	Tested
Carbaryl	0.096	0.029		ND	Tested
Carbofuran	0.096	0.029		ND	Tested
Chlorantraniliprole	0.096	0.029		ND	Tested
Chlordane	0.077	0.023		ND	Tested
Chlorfenapyr	0.077	0.023		ND	Tested
Chlormequat	0.096	0.029		ND	Tested
Chlorpyrifos	0.096	0.029		ND	Tested
Clofentezine	0.096	0.029		ND	Tested
Coumaphos	0.096	0.029		ND	Tested
Cyfluthrin	0.077	0.023		ND	Tested
Cypermethrin	0.077	0.023		ND	Tested
Daminozide	0.096	0.029		ND	Tested
Diazinon	0.096	0.029		ND	Tested
Dichlorvos	0.048	0.015		ND	Tested
Dimethoate	0.096	0.029		ND	Tested
Dimethomorph	0.092	0.029		ND	Tested
Ethoprophos	0.096	0.029		ND	Tested
Etofenprox	0.096	0.029		ND	Tested
Etoxazole	0.096	0.029		ND	Tested
Fenhexamid	0.096	0.029		ND	Tested
Fenoxycarb	0.096	0.029		ND	Tested
Fenpyroximate	0.096	0.029		ND	Tested
Fipronil	0.096	0.029		ND	Tested
Flonicamid	0.096	0.029		ND	Tested

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Fludioxonil	0.096	0.029		ND	Tested
Hexythiazox	0.096	0.029		ND	Tested
Imazalil	0.096	0.029		ND	Tested
Imidacloprid	0.096	0.029		ND	Tested
Kresoxim Methyl	0.096	0.029		ND	Tested
Malathion	0.096	0.029		ND	Tested
Metalaxyl	0.096	0.029		ND	Tested
Methiocarb	0.096	0.029		ND	Tested
Methomyl	0.096	0.029		ND	Tested
Mevinphos	0.096	0.029		ND	Tested
Myclobutanil	0.096	0.029		ND	Tested
Naled	0.239	0.073		ND	Tested
Oxamyl	0.096	0.029		ND	Tested
Paclobutrazol	0.096	0.029		ND	Tested
Methyl Parathion	0.077	0.023		ND	Tested
Pentachloronitrobenzene	0.077	0.023		ND	Tested
Permethrins	0.096	0.029		ND	Tested
Phosmet	0.096	0.029		ND	Tested
Piperonyl Butoxide	0.096	0.029		ND	Tested
Prallethrin	0.096	0.029		ND	Tested
Propiconazole	0.096	0.029		ND	Tested
Propoxur	0.096	0.029		ND	Tested
Pyrethrins	0.479	0.144		ND	Tested
Pyridaben	0.096	0.029		ND	Tested
Spinetoram	0.096	0.029		ND	Tested
Spinosad	0.098	0.029		ND	Tested
Spiromesifen	0.096	0.029		ND	Tested
Spirotetramat	0.096	0.029		ND	Tested
Spiroxamine	0.096	0.029		ND	Tested
Tebuconazole	0.096	0.029		ND	Tested
Thiacloprid	0.096	0.029		ND	Tested
Thiamethoxam	0.096	0.029		ND	Tested
Trifloxystrobin	0.096	0.029		ND	Tested

Date Tested: 07/06/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.

Ashley Phillips
Laboratory Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Moonwater Berry Twist 30mg

Sample ID: 2606NBL1133.3120
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/25/2026
Completed: 07/13/2026
Expires: 07/13/2027
External Lot ID: MWBT30LOT08
Batch#: MWBT30LOT08

Client
Upstate Beverage Consultants
Lic. # SC000206-20260113
6 Whitlee Court Greenville, SC 29607
(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/26/2026
CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1.5	4.8		ND	Tested
B2	1.5	4.8		ND	Tested
G1	1.5	4.8		ND	Tested
G2	1.5	4.8		ND	Tested
Total Aflatoxins	1.5	4.8		ND	Tested
Ochratoxin A	5.7	19.2		ND	Tested

Date Tested: 07/08/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.097		ND	Tested
Cadmium	0.049	0.097		ND	Tested
Lead	0.049	0.097		ND	Tested
Mercury	0.049	0.097		ND	Tested
Palladium	0.049	0.243		ND	Tested
Selenium	0.049	0.097		ND	Tested

Date Tested: 06/30/2026
Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Moonwater Berry Twist 30mg

Sample ID: 2606NBL1133.3120
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/25/2026
Completed: 07/13/2026
Expires: 07/13/2027
External Lot ID: MWBT30LOT08
Batch#: MWBT30LOT08

Client
Upstate Beverage Consultants
Lic. # SC000206-20260113
6 Whitlee Court Greenville, SC 29607
(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	66.964	223.214		ND	Tested
Benzene	0.268	0.893		ND	Tested
n-Butane	61.607	205.357		ND	Tested
Isobutane	61.607	205.357		ND	Tested
Ethanol	66.964	223.214		<LOQ	Tested
Ethyl Acetate	66.964	223.214		ND	Tested
Heptane	66.964	223.214		ND	Tested
n-Hexane	1.339	4.464		ND	Tested
2,2-Dimethylbutane	1.339	4.464		ND	Tested
3-Methylpentane	1.339	4.464		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.679	8.929		ND	Tested
Methanol	26.786	89.286		ND	Tested
Isopentane	61.607	205.357		ND	Tested
n-Pentane	26.786	89.286		ND	Tested
Neopentane	61.607	205.357		ND	Tested
2-Propanol	66.964	223.214		ND	Tested
Propane	267.857	892.857		ND	Tested
Toluene	0.134	0.446		ND	Tested
Ethylbenzene	0.134	0.446		ND	Tested
m/p-Xylene	0.134	0.446		ND	Tested
o-Xylene	0.134	0.446		ND	Tested
1,1-Dichloroethene	0.536	1.786		ND	Tested
1,2-Dichloroethane	0.536	1.786		ND	Tested
Ethylene Oxide	1.339	4.464		ND	Tested
Acetonitrile	5.357	17.857		ND	Tested
Chloroform	0.536	1.786		ND	Tested
Ethyl Ether	66.964	223.214		ND	Tested
Dichloromethane	26.786	89.286		ND	Tested
Trichloroethene	5.357	17.857		ND	Tested
2,3-Butanedione	26.786	89.286		ND	Tested

Date Tested: 06/26/2026
Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.